


Offer Number: MA/00018 - Reference: OUTLET stan na CZERWIEC 2018

Notes:

1. Dimensions [W x H]: 1000 x 2000

Qty

1



Glazing unit

1. WHITE PVC PANEL

Hardware

1. TURN L.

System: ALUMINIUM

Seal colour: GREY

Handle: Standard handle

Inside View:

Aluminium Treshold:

3-Point Lock:

Open to the inside:


Notes: SOLD!
VERKAUFT!
VENDU!
VENDUTO!

2. Roleta ALUPROF 45st.

Dimensions [W x H]: 1000 x 1400

Qty

1




Description:

View from inside

3. Inne Qty
0

Notes: SOLD!
VERKAUFT!
VENDU!
VENDUTO!

4. Dimensions [W x H]: 1460 x 800 Qty
1




Glazing unit	Hardware
1. LE 4/16/4 U=1,0	1. TILT
System: VEKA	Safety transport profile: <input checked="" type="checkbox"/>
Model: PERFECTLINE RENOVATION 35mm	Spacer bar: <input checked="" type="checkbox"/>
Colour: WHITE	
Hardware: MACO	
Seal colour: GREY	
Handle: None	

5. Inne Qty
1

Description:

6. Dimensions [W x H]: 910 x 1400 Qty
1




Glazing unit	Hardware
1. LE 4/16/4 U=1,0	1. TILT&TURN R.
System: ALUPLAST	Safety transport profile: <input checked="" type="checkbox"/>
Model: ID4000 Round Line	Spacer bar: <input checked="" type="checkbox"/>
Colour: AP27 WALNUT DOUBLE-SIDED	
Hardware: MACO	
Seal colour: BLACK	
Handle: None	

Notes: SOLD!
VERKAUFT!
VENDU!
VENDUTO!

View from inside

7. Dimensions [W x H]: 910 x 1200

Qty
1



Glazing unit
1. LE 4/16/4 U=1,0

Hardware
1. TILT&TURN R.


System: ALUPLAST
Model: ID4000 Round Line
Colour: AP27 WALNUT DOUBLE-SIDED
Hardware: MACO
Seal colour: BLACK
Handle: None

Safety transport profile:
Spacer bar:

Notes: SOLD

8. Dimensions [W x H]: 515 x 2310

Qty
1



Glazing unit
1. LE 4/16/4 U=1,0

Hardware
1. FIX FRAME


System: ALUPLAST
Model: ID4000 Round Line
Colour: WHITE
Seal colour: GREY
Handle: None

Safety transport profile:
Spacer bar:

Notes: SOLD

9. Dimensions [W x H]: 880 x 1340

Qty
1



Glazing unit
1. LE 4/16/4 U=1,0

Hardware
1. TILT&TURN R.

System: Timber
Model: SOLID PINE
Colour: TRANSPARENT
Hardware: MACO
Seal colour: BLACK
Handle: None
Glazing Round/Oval
Bead:

Safety transport profile:
Spacer bar:


Notes: it: placche in alluminio
Ecoline 68
fr: capotage Alu
Ecoline 68
de: Aluminiumkappe
Ecoline 68
en: cladding
Ecoline 68

View from inside

10. Dimensions [W x H]: 880 x 1330

Qty

1



Glazing unit

1. OBSCURE 4/16/4 MATT

Hardware

1. TILT&TURN R.

System: Timber

Model: SOLID PINE

Colour: TRANSPARENT

Hardware: MACO

Seal colour: BLACK

Handle: None

Glazing Round/Oval
Bead:

Safety transport profile:

Spacer bar:


Notes: Ecoline 68
it: placche in alluminio
fr: capotage Alu
de: Aluminiumkappe
en: cladding

en: Window Pane: MAT;
fr: Vitrages: MAT;
de: Verglasung: MAT
it: Vetrocamera: MAT

11. Dimensions [W x H]: 880 x 1340

Qty

1



Glazing unit

1. LE 4/16/4 U=1,0

Hardware

1. TILT&TURN L.

System: Timber

Model: SOLID PINE

Colour: TRANSPARENT

Hardware: MACO

Seal colour: BLACK

Handle: None

Glazing Round/Oval
Bead:

Safety transport profile:

Spacer bar:


Notes: Ecoline 68
it: placche in alluminio
fr: capotage Alu
de: Aluminiumkappe
en: cladding

View from inside

12. Dimensions [W x H]: 980 x 1340

Qty

1



Glazing unit

1. LE 4/16/4 U=1,0

Hardware

1. TILT&TURN R.

System: Timber

Model: SOLID PINE

Colour: TRANSPARENT

Hardware: MACO

Seal colour: BLACK

Handle: None

Glazing Round/Oval
Bead:

Safety transport profile:

Spacer bar:


Notes: Ecoline 68
it: placche in alluminio
fr: capotage Alu
de: Aluminiumkappe
en: cladding

SOLD FV 1509/09/2018

13. Dimensions [W x H]: 980 x 1340

Qty

1



Glazing unit

1. LE 4/16/4 U=1,0

Hardware

1. TILT&TURN L.

System: Timber

Model: SOLID PINE

Colour: TRANSPARENT

Hardware: MACO

Seal colour: BLACK

Handle: None

Glazing Round/Oval
Bead:

Safety transport profile:

Spacer bar:


Notes: Ecoline 68
it: placche in alluminio
fr: capotage Alu
de: Aluminiumkappe
en: cladding

View from inside

14. Dimensions [W x H]: 880 x 1340

Qty

1



Glazing unit
1. LE 4/16/4 U=1,0

Hardware
1. TILT&TURN L.

System: Timber
Model: SOLID PINE
Colour: TRANSPARENT
Hardware: MACO
Seal colour: BLACK
Handle: None
Glazing Round/Oval
Bead:


Safety transport profile:
Spacer bar:

Notes: Ecoline 68
it: placche in alluminio
fr: capotage Alu
de: Aluminiumkappe
en: cladding

15. Dimensions [W x H]: 880 x 2350

Qty

1



Glazing unit
1. LE 4/16/4 U=1,0

Hardware
1. TURN L.

System: Timber
Model: SOLID PINE
Colour: TRANSPARENT
Hardware: MACO
Seal colour: BLACK
Handle: None
Glazing Round/Oval
Bead:

Safety transport profile:
Spacer bar:

Notes: Ecoline 68
it: placche in alluminio
fr: capotage Alu
de: Aluminiumkappe
en: cladding


SOLD!
VERKAUFT!
VENDU!
VENDUTO!

View from inside

16. Dimensions [W x H]: 1280 x 2200

Qty

1



Glazing unit

1. LE 4/16/4 U=1,0
2. LE 4/16/4 U=1,0

Hardware

1. TURN L.STULP
2. TURN R.STULP Hand.

System: Timber

Model: SOLID PINE

Colour: TRANSPARENT

Hardware: MACO

Seal colour: BLACK

Handle: None

Glazing Round/Oval
Bead:

Safety transport profile:


Spacer bar:

Notes: Ecoline 68
it: placche in alluminio
fr: capotage Alu
de: Aluminiumkappe
en: cladding

17. Dimensions [W x H]: 2470 x 2320

Qty

1



Glazing unit

1. LE 4/16/4 U=1,0
2. LE 4/16/4 U=1,0
3. LE 4/16/4 U=1,0

Hardware

1. TURN L.STULP
2. TURN R.
3. FIX WING

System: Timber

Model: SOLID PINE

Colour: TRANSPARENT

Hardware: MACO

Seal colour: BLACK

Handle: None

Glazing Round/Oval
Bead:

Safety transport profile:

Spacer bar:

18 mm GEORGIAN BAR RAL /
Bolection: RAL


Notes: Ecoline 68
it: placche in alluminio
fr: capotage Alu
de: Aluminiumkappe
en: cladding

View from inside

18. Dimensions [W x H]: 2700 x 2064

Qty

1



Glazing unit

1. LE 4/16/4 U=1,0
2. LE 4/16/4 U=1,0

Hardware

1. FIX FRAME
- 2.

System: ALUPLAST

Model: ID4000 Round Line

Colour: WHITE

Hardware: MACO

Seal colour: GREY

Handle: Standard handle

Glazing Round/Oval

Bead:


Safety transport profile:

Spacer bar:

19. Dimensions [W x H]: 1045 x 800

Qty

1



Glazing unit

1. LE 4/16/4 U=1,0
2. LE 4/16/4 U=1,0

Hardware

1. TURN L.STULP
2. TILT&TURN R.

System: ALUPLAST

Model: ID4000 Round Line

Colour: WHITE

Hardware: MACO

Seal colour: GREY

Handle: Hoppe Secustic White

Glazing Round/Oval

Bead:

Safety transport profile:

Spacer bar:

Mis-handling:

Controlled ventilation:


Notes: SOLD!
VERKAUFT!
VENDU!
VENDUTO!

View from inside

20. Dimensions [W x H]: 500 x 585

Qty

1



Glazing unit

1. CUSTOM GLAZING UNIT

Hardware

1. TILT&TURN L.

System: ALUPLAST

Model: ID8000

Colour: CUSTOM DOUBLE-SIDED

Hardware: MACO

Seal colour: BLACK

Handle: Hoppe Secustic Old Golden

Glazing Classic

Bead:

Safety transport profile:

Spacer bar:

Mis-handling:

Controlled ventilation:

Notes: en: Window Pane: 4/18/4/18/4; colour non standard double side AP52 out, AP71 in
fr: Vitrages: 4/18/4/18/4; couleur non standard de deux côtés : à l'ext : AP 52, à l'int: AP 72
de: Verglasung: 4/18/4/18/4; Bikolor: aussen AP 52, innen: AP 71
it: Vetrocamera: 4/18/4/18/4; colore: bilaterale personalizzato: all'esterno AP 52, all'interno: AP 71

SOLD!

VERKAUFT!

VENDU!

VENDUTO!

21.

Inne


Qty

1

22. Dimensions [W x H]: 3060 x 1150

Qty

1



Glazing unit

1. CUSTOM GLAZING UNIT

2. CUSTOM GLAZING UNIT

Hardware

1.

2.

System: VEKA

Colour: WHITE

Seal colour: GREY

Handle: Standard handle

Safety transport profile:

Spacer bar:

Notes: VEKA Ecosol

en: glass 44.2/12/4

de: Verglasung 44.2/12/4

fr: vitrage 44.2/12/4

it: vetro 44.2/12/4


SOLD FV 1522/09/2018

View from inside

23. Dimensions [W x H]: 890 x 2100

Qty

1




Glazing unit	Hardware
1. NO GLAZING UNIT	1. TURN L.
System: ALUPLAST	Inside View: <input checked="" type="checkbox"/>
Model: ID4000 FRONT DOOR RENOVATION 40	Aluminium Treshold: <input checked="" type="checkbox"/>
Colour: AP61 GREY SAND STRUCTURE SINGLE-SIDED	Spacer bar: <input checked="" type="checkbox"/>
Hardware: MACO	Open to the inside: <input checked="" type="checkbox"/>
Seal colour: BLACK	5-Point Lock: <input checked="" type="checkbox"/>
Handle: Double side handle	
Glazing Round/Oval	
Bead:	

24. Dimensions [W x H]: 882 x 2130

Qty

1



Glazing unit	Hardware
1. NO GLAZING UNIT	1. TURN L.
System: ALUPLAST	Inside View: <input checked="" type="checkbox"/>
Model: ID4000 FRONT DOOR RENOVATION 40	Aluminium Treshold: <input checked="" type="checkbox"/>
Colour: AP61 GREY SAND STRUCTURE SINGLE-SIDED	Spacer bar: <input checked="" type="checkbox"/>
Hardware: MACO	Open to the inside: <input checked="" type="checkbox"/>
Seal colour: BLACK	5-Point Lock: <input checked="" type="checkbox"/>
Handle: Double side handle	
Glazing Round/Oval	
Bead:	


Notes: SOLD!
VERKAUFT!
VENDU!
VENDUTO!

View from inside

25. Dimensions [W x H]: 2800 x 2100

Qty

1



Glazing unit

1. LE 4/18/4/18/4 U=0,5
2. LE 4/18/4/18/4 U=0,5

Hardware

- 1.
- 2.

System: SALAMANDER

Safety transport profile:

Seal colour: BLACK

Handle: Double side pull handle

Glazing: Round/Oval

Bead:

Notes: IT: Sistema Salamander, la porta alzante-scorrevole HST; colore insolito, non dalla gamma dei colori standard; due ante attive; maniglia passante; canalina calda distanziale nera
DE: Salamander, HST; Bikolor; zwei Aktivefluegel; Griffe - beidseitig; Warmekante in GZR schwarz
FR: Système Salamander, porte levante-coulissante HST; couleur atypique hors de la palette standard; deux vantaux actifs; double poignée; intercalaire warmedge noir
EN: Salamander lift and slide doors, colour in and out – laminate, two sashes sliding, handle in and out, warm edge spacer

SOLD!
VERKAUFT!
VENDU!
VENDUTO!

View from inside

26. Up and over garage door

Qty

1



Notes: DE: Schwingtor
Connect
Montage hinter der Oeffnung
RAL 7035
nicht Thermischgetrent
Antrieb – manuel
Massen: 2480x290

IT: Portone basculante
Modello Connect
Fissaggio davanti all'apertura
Colore RAL 7035
Motivo di tamponamento: doghe orizzontali (modelloH)
Apertura manuale
2480mm x2090mm
Chiavistello : in acciaio

FR: Porte de garage basculante
Connect
pose en applique
Coloris RAL 7035
rainures horizontales
sans isolation thermique
commande: manuelle
2480x2090
loqueteau standard

ENG: Up and over garage door
2480x2090
surface fitted
Colour RAL7016
Panels ribbed (H model)
non insulated
manual operated
standard metal fastener

View from inside

27.

Sectional garage door

Qty

1



Notes: DE: Sektionaltor
OniPro SSP
Muster – Woodgrain
Farbe – Nuss
2400x2100
Antrieb: mido 6000

IT: Portone sezionale
Modello UniPro
SSP-molle a torsione fissate davanti all'architrave,
Struttura: woodgain
Motivo di tamponamento: senza doghe
Colore noce
2400mm x 2100mm
Apertura automatica: MIDO 6000
Binario: MIDO 3000
Architrave: 200
Spazio laterale W1, W2: 110mm
Profondita': 3250mm
Maniglia: KL-2 colore RAL 8014
Bloccaggio: inilaterale

FR: Porte de garage sectionnelle
UniPro
SSP
Structure Woodgrain
Sans rainures
coloris: noix
2400x2100
moteur: mido 600
linteau: 200mm
écoinçon gauche et droit: 110mm
profondeur: 3250mm
rail MIDO 3000
poignée KL-2 RAL 8014
verouillage J
2 télécommandes

ENG: Sectional garage door
2400x2100
UniPro
SSP
Woodgrain finish
no ribbed
colour walnut
motor drive operated
overhead room 200mm
sideroom required W1, W2 – 110
depth of garage 3250
rail track MIDO3000
handle KL-2 RAL8014
garage door interlocking J

SOLD!
VERKAUFT!
VENDU!
VENDUTO!

View from inside

28.

Sectional garage door

Qty

1



Notes: DE: Saktionaltor
OniPro SSP
Muster – Glat
Farbe – Nuss
3200x3000
Antrieb: mido 1000

SOLD!
VERKAUFT!
VENDU!
VENDUTO!

IT: Portone sezionale
Modello UniPro
SSP-molle a torsione fissate davanti all'architrave,
Struttura: woodgain
Motivo di tamponamento: senza doghe
Colore bianco
3200mm x 3000mm
Apertura automatica: MIDO 1000
Binario: MIDO 4000
Architrave: 200
Spazio laterale W1, W2: 110mm
Profondita': 4250mm
Freno di sicurezza: SI
Bloccaggio: inilaterale
2 comandi

FR: Porte de garage sectionnelle
UniPro
SSP
coloris: blanc
sans rainures
structure Woodgrain
moteur MIDO 1000x2300
2 télécommandes
rail Mido 4000
3200x3000
linteau 200mm
écoinçon gauche et droit: 110mm
profondeur: 4250mm
Frein de sécurité: OUI
verrou: 1

EN: Sectional garage door
3200x3000
UniPro
SSP
colour white
no ribbed
woodgrain finish
motor drive MIDO 1000
rail track 4000
overhead room 200mm
sideroom required W1, W2 – 110
depth of garage 4250
safety brake – yes
garage door interlock – 1
2 remote controls

View from inside

29.

Panel aluminiowy

Qty

1



PANEL ALU

Notes: DE: Aluminiumtuere
ALU: MB60E
Struktur: Woodgrain
RAL 9016
1000x2300
DIN R
Beidseitig Griff Jupiter

IT: Porta in alluminio
Modello: ALU MB60E
Tipo della porta: D1P
Struttura: woodgrain
Colore RAL 9016
1000mm x 2300mm
Lato della maniglia: sinistra
Maniglia passante Jupiter con serratura
3 cerniere
3 chiavi

FR: Porte d'entrée avec le même remplissage que la porte garage
Systeme du profilé ALU: MB60E
Type de porte: D1P
Type de panneau: G
Structure de panneau: Woodgrain
coloris: RAL 9016
1000x2300
type de quincaillerie: double poignée
à l'extérieur: poignée Jupiter
à l'intérieur: poignée Jupiter
avec 3 clés
type de paumelles: 3 paumelles standard


EN: Aluminium panel
1000x2300
aluminium panel doors
System: MB60E
type of doors D1P
type of panel G
woodgrain finish
colour RAL9016
handle in and out
handle in: Jupiter
Colour: AP05 mahogany singlesided
cylinder lock with 3 keys
surface hinges

View from inside

30. Dimensions [W x H]: 2940 x 1175

Qty

1



Glazing unit

1. LE 4/16/4 U=1,0
2. LE 4/16/4 U=1,0
3. LE 4/16/4 U=1,0

Hardware

1. TURN L.
2. FIX FRAME
3. TILT&TURN R.

System: ALUPLAST

Model: ID4000 Round Line

Colour: AP05 MAHOGANY SINGLE-SIDED

Hardware: MACO

Seal colour: BLACK

Handle: Hoppe Secustic White

HigneCovers: White

Glazing Round/Oval

Bead:

Safety transport profile:

Warm Frame Swisspacer:

Mis-handling:


Controlled ventilation:

Air Inlet:

31. Dimensions [W x H]: 1730 x 1175

Qty

1



Glazing unit

1. LE 4/16/4 U=1,0
2. LE 4/16/4 U=1,0

Hardware

1. TURN L.STULP
2. TILT&TURN R.

System: ALUPLAST

Model: ID4000 Round Line

Colour: AP05 MAHOGANY SINGLE-SIDED

Hardware: MACO

Seal colour: BLACK

Handle: Hoppe Secustic White

HigneCovers: White

Glazing Round/Oval

Bead:

Safety transport profile:

Warm Frame Swisspacer:

Mis-handling:

Controlled ventilation:

32. Inne

Qty


1

View from inside

33. Dimensions [W x H]: 1010 x 2020

Qty

1



Glazing unit
1. LE 4/16/4 U=1,0

Hardware
1. TURN L.

System: Timber
Model: SOLID PINE
Colour: TRANSPARENT
Hardware: MACO
Seal colour: GREY
Double side handle with key
Handle: lock

Safety transport profile:
Warm Frame Swisspacer:
Aluminium Treshold:

Notes:
Sprzedane

34. Pull handle

Qty

2



Description: IT:
pour poste 1
a mettre a l'inter
a mettre a l'exter


tirant inox de 500mm
modele: 250 96
fixation a l'nagle de45*

Notes: SOLD
FV/1554/10/2018

35. Dimensions [W x H]: 1030 x 2045

Qty

1



Glazing unit
1.1. CUSTOM GLAZING UNIT
1.2. COLOUR / COLOUR PVC PANEL

Hardware
1. TURN R.

System: ALUPLAST
Model: ID4000 FRONT DOOR
Colour: CUSTOM DOUBLE-SIDED
Hardware: MACO
Seal colour: BLACK
Handle: None
HigneCovers: Silver
Glazing Softline
Bead:

Inside View:
Warm Frame Swisspacer:
Drop door seal bar:
Open to the inside:
5-Point Lock:

Notes: Porte d'entree
Vitrage 33.2/14/4 + panneau PVC
traverse oblique
6 cles

View from inside

36.

Infill panel

Qty

1



37.

Infill panel

Qty

1




38.

Dimensions [W x H]: 1145 x 2110

Qty

1



Glazing unit

1. LE 4/16/4 U=1,1
2. LE 4/16/4 U=1,1

Hardware

1. TURN L.STULP
2. TILT&TURN R.

System: SALAMANDER

Safety transport profile: Model: SALAMANDER 76 Renovation
60Spacer bar:

Colour: WHITE

Mis-handling:

Hardware: MACO

Controlled ventilation:

Seal colour: GREY

Handle: Hoppe Secustic Silver

HigneCovers: Silver

Glazing Round/Oval


Bead:

39.

Dimensions [W x H]: 638 x 2110

Qty

1



Glazing unit

1. LE 4/16/4 U=1,1

Hardware

1. TILT&TURN R.

System: SALAMANDER

Safety transport profile: Model: SALAMANDER 76 Renovation
60Spacer bar:

Colour: WHITE

Mis-handling:

Hardware: MACO

Controlled ventilation:

Seal colour: GREY

Handle: Hoppe Secustic Silver


Glazing Round/Oval

Bead:

Notes: SOLD

40. Dimensions [W x H]: 1145 x 1205

Qty
2



Glazing unit

1. LE 4/16/4 U=1,1
2. LE 4/16/4 U=1,1

Hardware

1. TURN L.STULP
2. TILT&TURN R.

System: SALAMANDER

Model: SALAMANDER 76 Renovation
60

Colour: WHITE

Hardware: MACO

Seal colour: GREY

Handle: Hoppe Secustic Silver

Glazing Round/Oval

Bead:

Safety transport profile:


Spacer bar:

Mis-handling:

Controlled ventilation:

41. Dimensions [W x H]: 1895 x 1205

Qty
1



Glazing unit

1. LE 4/16/4 U=1,1
2. LE 4/16/4 U=1,1
3. LE 4/16/4 U=1,1

Hardware

1. TILT&TURN L.
2. TURN L.STULP
3. TILT&TURN R.

System: SALAMANDER

Model: SALAMANDER 76 Renovation
60

Colour: WHITE

Hardware: MACO

Seal colour: GREY

Handle: Hoppe Secustic Silver

Glazing Round/Oval

Bead:

Safety transport profile:


Spacer bar:

Mis-handling:

Controlled ventilation:

42. Dimensions [W x H]: 745 x 1205

Qty
1



Glazing unit

1. LE 4/16/4 U=1,1

Hardware

1. TILT&TURN R.

System: SALAMANDER

Model: SALAMANDER 76 Renovation
60

Colour: WHITE

Hardware: MACO

Seal colour: GREY

Handle: Hoppe Secustic Silver

Glazing Round/Oval

Bead:

Safety transport profile:

Spacer bar:

Mis-handling:


Controlled ventilation:

View from inside

43. Dimensions [W x H]: 650 x 1205

Qty

1



Glazing unit

1. LE 4/16/4 U=1,1

Hardware

1. TILT&TURN R.

System: SALAMANDER

Model: SALAMANDER 76 Renovation
60

Colour: WHITE

Hardware: MACO

Seal colour: GREY

Handle: Hoppe Secustic Silver

Glazing Round/Oval
Bead:

Safety transport profile:

Spacer bar:

Mis-handling:


Controlled ventilation:

Notes: SOLD
FV/1554/10/2018

44. Dimensions [W x H]: 1100 x 2270

Qty

4



Glazing unit

1. LE 4/12/4/12/4 U=0,7

2. LE 4/12/4/12/4 U=0,7

Hardware

1. TILT&TURN L.

2. TURN R.STULP

System: SALAMANDER

Model: STREAMLINE 76

Colour: WHITE

Hardware: MACO

Seal colour: GREY

Handle: Hoppe Secustic Silver

Glazing Round/Oval
Bead:


Safety transport profile:

Spacer bar:

45. Dimensions [W x H]: 865 x 2295

Qty

1



Glazing unit

1.1-1.2. LE 4/16/4 U=1,1

Hardware

1. TILT&TURN R.

System: ALUPLAST

Model: ID4000 Round Line

Colour: WHITE

Hardware: MACO

Seal colour: GREY

Handle: Hoppe Secustic White

HigneCovers: White

Glazing Classic
Bead:

Safety transport profile:

Spacer bar:

Mis-handling:


Controlled ventilation:

View from inside

46. Dimensions [W x H]: 1070 x 2430

Qty

1



Glazing unit

1. LAMINATED 33.1/14/4 U=1,2
2. LAMINATED 33.1/14/4 U=1,2

Hardware

1. TURN L.STULP
2. TILT&TURN R.

System: SALAMANDER

Model: STREAMLINE 76

Colour: WHITE

Hardware: MACO

Seal colour: GREY

Handle: Hoppe Secustic Silver

HigneCovers: Silver

Glazing Round/Oval

Bead:

Safety transport profile:

Spacer bar:


Mis-handling:

Controlled ventilation:

47. Dimensions [W x H]: 990 x 1530

Qty

1



Glazing unit

1. LE 4/16/4 U=1,1

Hardware

1. TILT&TURN R.

System: ALUPLAST

Model: ID4000 Round Line

Colour: WHITE

Hardware: MACO

Seal colour: GREY

Handle: Hoppe Secustic White

HigneCovers: White

Glazing Round/Oval

Bead:

Safety transport profile:

Spacer bar:

Mis-handling:


Controlled ventilation:

Notes: SOLD 1522/09/2018

48. Dimensions [W x H]: 830 x 2410

Qty

1



Glazing unit

- 1.1-1.2. LE 4/16/4 U=1,0

Hardware

1. TILT&TURN R.

System: ALUPLAST

Model: ID4000 Renovation 40
Recessed Style

Colour: WHITE

Hardware: MACO

Seal colour: GREY

Handle: Standard handle

HigneCovers: White

Glazing Round/Oval

Bead:

Safety transport profile:


Spacer bar:

View from inside

49. Dimensions [W x H]: 1410 x 1400

Qty

1



Glazing unit

1. LE 4/16/4 U=1,1
2. LE 4/16/4 U=1.1

Hardware

1. TURN L.
2. TILT&TURN R.

System: ALUPLAST

Model: ID4000 Round Line

Colour: WHITE

Hardware: MACO

Seal colour: GREY

Handle: Hoppe Secustic White

HigneCovers: White

Glazing Classic

Bead:

Safety transport profile:

Spacer bar:

Mis-handling:


Controlled ventilation:

Notes: SOLD

50. Dimensions [W x H]: 780 x 1510

Qty

1



Glazing unit

1. OBSCURE 4/16/4 MATT

Hardware

1. TILT&TURN L.

System: ALUPLAST

Model: ID4000 Renovation 40
Recessed Style

Colour: WHITE

Hardware: MACO

Seal colour: GREY

Handle: Hoppe Secustic White

HigneCovers: White

Glazing Round/Oval

Bead:

Safety transport profile:

Spacer bar:

Mis-handling:


Controlled ventilation:

Reduced Handle:

51. Dimensions [W x H]: 1850 x 1510

Qty

2



Glazing unit

1. LE 4/16/4 U=1,1
2. LE 4/16/4 U=1,1
3. LE 4/16/4 U=1,1

Hardware

1. TILT&TURN L.
2. TURN R.STULP
3. TILT&TURN R.

System: ALUPLAST

Model: ID4000 Renovation 40
Recessed Style

Colour: WHITE

Hardware: MACO

Seal colour: GREY

Handle: Hoppe Secustic White

HigneCovers: White

Glazing Round/Oval

Bead:

Safety transport profile:

Spacer bar:

Mis-handling:

Controlled ventilation:


Reduced Handle:

View from inside

52. Dimensions [W x H]: 1240 x 1560

Qty

1




Glazing unit	Hardware
1. LE 4/16/4 U=1,0	1. TURN L.STULP
2. LE 4/16/4 U=1,0	2. TILT&TURN R.
System: ALUPLAST	Safety transport profile: <input checked="" type="checkbox"/>
Model: ID4000 Renovation 40 Recessed Style	Spacer bar: <input checked="" type="checkbox"/>
Colour: WHITE	Mis-handling: <input checked="" type="checkbox"/>
Hardware: MACO	Controlled ventilation: <input checked="" type="checkbox"/>
Seal colour: GREY	Reduced Handle: <input checked="" type="checkbox"/>
Handle: Hoppe Secustic White	
HigneCovers: White	
Glazing Round/Oval	
Bead:	

53. Dimensions [W x H]: 1160 x 1400

Qty

3




Glazing unit	Hardware
1. LE 4/16/4 U=1,0	1. TURN L.STULP
2. LE 4/16/4 U=1,0	2. TILT&TURN R.
System: ALUPLAST	Safety transport profile: <input checked="" type="checkbox"/>
Model: ID4000 Round Line	Spacer bar: <input checked="" type="checkbox"/>
Colour: WHITE	Mis-handling: <input checked="" type="checkbox"/>
Hardware: MACO	Controlled ventilation: <input checked="" type="checkbox"/>
Seal colour: GREY	
Handle: Hoppe Secustic White	
HigneCovers: White	
Glazing Round/Oval	
Bead:	

54. Dimensions [W x H]: 1840 x 2400

Qty

1



Glazing unit	Hardware
1.1-1.2. LE 4/16/4 U=1,1	1. TILT&TURN L.
2.1-2.2. LE 4/16/4 U=1,1	2. TURN R.STULP
3.1-3.2. LE 4/16/4 U=1,1	3. FIX FRAME
System: ALUPLAST	Safety transport profile: <input checked="" type="checkbox"/>
Model: ID4000 Renovation 40 Recessed Style	Spacer bar: <input checked="" type="checkbox"/>
Colour: WHITE	Mis-handling: <input checked="" type="checkbox"/>
Hardware: MACO	Controlled ventilation: <input checked="" type="checkbox"/>
Seal colour: GREY	Aluminium Treshold: <input checked="" type="checkbox"/>
Handle: Hoppe Secustic White	
HigneCovers: White	
Glazing Round/Oval	

View from inside

55.

Infill panel

Qty

1



Description:

EN - Door Panel
Type DANA
728x1739
Colour: Golden Oak only outside
glass 4/16/4

DE - Türpaneel
DANA
728X1739
Farbe: Goldene Eiche 1 seitig
Glas 4/16/4

FR - Panneau de porte
DANA
728X1739
Couleur: CHENE DORE 1 FACE
Vitrages 4/16/4

IT - Pannello per porte
DANA
728X1739
Colore: QUERCIA DORATA 1
Vetrocamera 4/16/4

56.

Infill panel

Qty

1



Description:


EN - Door Panel
Type TEREZA
710X1935
Colour: two-sided anthracite


DE - Türpaneel
TEREZA
710X1935
Farbe: 2-seitig anthrazit

FR - Panneau de porte
TEREZA
710X1935
Couleur: anthracite deux faces

IT - Pannello per porte
TEREZA
710X1935
Colore: antracite 2 pagine

View from inside

57.	Infill panel	Qty 1
		<hr/> Description: EN - Door Panel Type KAMILA I 708X1740 Colour: two-sided anthracite DE - Türpaneel Type KAMILA I 708X1740 Farbe: 2-seitig anthrazit FR - Panneau de porte Type KAMILA I 708X1740 Couleur: anthracite deux faces IT - Pannello per porte Type KAMILA I 708X1740 Colore: antracite 2 pagine

58.	Infill panel	Qty 1
		<hr/> Description: EN - Door Panel Type CL/K6 705/1850 Colour: white/grey DE - Türpaneel Type CL/K6 705/1850 Farbe: weiss/grau FR - Panneau de porte Type CL/K6 705/1850 Couleur: blanc/gris IT - Pannello per porte Type CL/K6 705/1850 Colore: bianco/grigio

59.

Infill panel

Qty

1



Description: EN - Door Panel
662x984
Colour: grey

DE - Türpaneel
662x984
Farbe: grau

FR - Panneau de porte
662x984
Couleur: gris

IT - Pannello per porte
662x9840
Colore: grigio

60.

Inne

Qty

1

Description: EN - Container for 3 garage gates
386x302x245

IT - Contenitore per 3 cancelli garage 386X302X245

FR-Conteneur pour 3 portes de garage
386X302X245


DE- Container für 3 Garagentore
386x302x245

61.

Dimensions [W x H]: 1765 x 2300

Qty

1



Glazing unit

1. LE 4/16/4 U=1,1
2. LE 4/16/4 U=1,1

Hardware

1. TURN L.STULP
2. TILT&TURN R.

System: SALAMANDER

Model: STREAMLINE 76

Colour: WHITE

Hardware: MACO

Seal colour: BLACK

Handle: Hoppe Secustic White

HigneCovers: White

Glazing Round/Oval

Bead:

Safety transport profile: Spacer bar: Mis-handling: Controlled ventilation:

View from inside