


Offer Number: MA/00018 - Reference: OUTLET stan na CZERWIEC 2018

Notes:

1. Dimensions [W x H]: 1000 x 2000

Qty

1



Glazing unit

1. WHITE PVC PANEL

Hardware

1. TURN L.

System: ALUMINIUM

Seal colour: GREY

Handle: Standard handle

Inside View: Aluminium Treshold: 3-Point Lock: Open to the inside: Notes: SOLD!  
VERKAUFT!  
VENDU!  
VENDUTO!

2. Roleta ALUPROF 45st.

Qty

Dimensions [W x H]: 1000 x 1400


1

Description:

3. Inne Qty  
0

Notes: SOLD!  
VERKAUFT!  
VENDU!  
VENDUTO!

4. Dimensions [W x H]: 1460 x 800 Qty  
1




| Glazing unit                          | Hardware  |
|---------------------------------------|---|
| 1. LE 4/16/4 U=1,0                    | 1. TILT   |
| System: VEKA                          | Safety transport profile: <input checked="" type="checkbox"/> |
| Model: PERFECTLINE RENOVATION<br>35mm | Spacer bar: <input checked="" type="checkbox"/>               |
| Colour: WHITE                         |   |
| Hardware: MACO                        |   |
| Seal colour: GREY                     |   |
| Handle: None                          |   |

5. Inne Qty  
1

Description:

6. Dimensions [W x H]: 910 x 1400 Qty  
1



| Glazing unit                     | Hardware  |
|----------------------------------|---|
| 1. LE 4/16/4 U=1,0               | 1. TILT&TURN R.   |
| System: ALUPLAST                 | Safety transport profile: <input checked="" type="checkbox"/> |
| Model: ID4000 Round Line         | Spacer bar: <input checked="" type="checkbox"/>               |
| Colour: AP27 WALNUT DOUBLE-SIDED |   |
| Hardware: MACO                   |   |
| Seal colour: BLACK               |   |
| Handle: None                     |   |


Notes: SOLD!  
VERKAUFT!  
VENDU!  
VENDUTO!

View from inside

7. Dimensions [W x H]: 910 x 1200

Qty

1



Glazing unit

1. LE 4/16/4 U=1,0

Hardware

1. TILT&TURN R.

System: ALUPLAST

Model: ID4000 Round Line

Colour: AP27 WALNUT DOUBLE-SIDED

Hardware: MACO

Seal colour: BLACK

Handle: None


Safety transport profile:

Spacer bar:

8. Dimensions [W x H]: 515 x 2310

Qty

1



Glazing unit

1. LE 4/16/4 U=1,0

Hardware

1. FIX FRAME

System: ALUPLAST

Model: ID4000 Round Line

Colour: WHITE

Seal colour: GREY

Handle: None


Safety transport profile:

Spacer bar:

9. Dimensions [W x H]: 880 x 1340

Qty

1



Glazing unit

1. LE 4/16/4 U=1,0

Hardware

1. TILT&TURN R.

System: Timber

Model: SOLID PINE

Colour: TRANSPARENT

Hardware: MACO

Seal colour: BLACK

Handle: None

Glazing Round/Oval

Bead:

Safety transport profile:

Spacer bar:

Notes: it: placche in alluminio

Ecoline 68

fr: capotage Alu

Ecoline 68

de: Aluminiumkappe

Ecoline 68

en: cladding


Ecoline 68

View from inside

10. Dimensions [W x H]: 880 x 1330

Qty

1



Glazing unit

1. OBSCURE 4/16/4 MATT

Hardware

1. TILT&TURN R.

System: Timber

Model: SOLID PINE

Colour: TRANSPARENT

Hardware: MACO

Seal colour: BLACK

Handle: None

Glazing Round/Oval  
Bead:

Safety transport profile:

Spacer bar:


Notes: Ecoline 68  
it: placche in alluminio  
fr: capotage Alu  
de: Aluminiumkappe  
en: cladding

en: Window Pane: MAT;  
fr: Vitrages: MAT;  
de: Verglasung: MAT  
it: Vetrocamera: MAT

11. Dimensions [W x H]: 880 x 1340

Qty

1



Glazing unit

1. LE 4/16/4 U=1,0

Hardware

1. TILT&TURN L.

System: Timber

Model: SOLID PINE

Colour: TRANSPARENT

Hardware: MACO

Seal colour: BLACK

Handle: None

Glazing Round/Oval  
Bead:

Safety transport profile:

Spacer bar:


Notes: Ecoline 68  
it: placche in alluminio  
fr: capotage Alu  
de: Aluminiumkappe  
en: cladding

View from inside

12. Dimensions [W x H]: 980 x 1340

Qty

1



Glazing unit

1. LE 4/16/4 U=1,0

Hardware

1. TILT&TURN R.

System: Timber

Model: SOLID PINE

Colour: TRANSPARENT

Hardware: MACO

Seal colour: BLACK

Handle: None

Glazing Round/Oval  
Bead:

Safety transport profile:

Spacer bar:


Notes: Ecoline 68  
it: placche in alluminio  
fr: capotage Alu  
de: Aluminiumkappe  
en: cladding

SOLD FV 1509/09/2018

13. Dimensions [W x H]: 980 x 1340

Qty

1



Glazing unit

1. LE 4/16/4 U=1,0

Hardware

1. TILT&TURN L.

System: Timber

Model: SOLID PINE

Colour: TRANSPARENT

Hardware: MACO

Seal colour: BLACK

Handle: None

Glazing Round/Oval  
Bead:

Safety transport profile:

Spacer bar:


Notes: Ecoline 68  
it: placche in alluminio  
fr: capotage Alu  
de: Aluminiumkappe  
en: cladding

View from inside

14. Dimensions [W x H]: 880 x 1340

Qty

1



Glazing unit

1. LE 4/16/4 U=1,0

Hardware

1. TILT&TURN L.

System: Timber

Model: SOLID PINE

Colour: TRANSPARENT

Hardware: MACO

Seal colour: BLACK

Handle: None

Glazing Round/Oval  
Bead:

Safety transport profile:


Spacer bar:

Notes: Ecoline 68  
it: placche in alluminio  
fr: capotage Alu  
de: Aluminiumkappe  
en: cladding

15. Dimensions [W x H]: 880 x 2350

Qty

1



Glazing unit

1. LE 4/16/4 U=1,0

Hardware

1. TURN L.

System: Timber

Model: SOLID PINE

Colour: TRANSPARENT

Hardware: MACO

Seal colour: BLACK

Handle: None

Glazing Round/Oval  
Bead:

Safety transport profile:

Spacer bar:

Notes: Ecoline 68  
it: placche in alluminio  
fr: capotage Alu  
de: Aluminiumkappe  
en: cladding


SOLD!  
VERKAUFT!  
VENDU!  
VENDUTO!

View from inside

16. Dimensions [W x H]: 1280 x 2200

Qty

1



Glazing unit

1. LE 4/16/4 U=1,0
2. LE 4/16/4 U=1,0

Hardware

1. TURN L.STULP
2. TURN R.STULP Hand.

System: Timber

Model: SOLID PINE

Colour: TRANSPARENT

Hardware: MACO

Seal colour: BLACK

Handle: None

Glazing Round/Oval  
Bead:

Safety transport profile:


Spacer bar:

Notes: Ecoline 68  
it: placche in alluminio  
fr: capotage Alu  
de: Aluminiumkappe  
en: cladding

17. Dimensions [W x H]: 2470 x 2320

Qty

1



Glazing unit

1. LE 4/16/4 U=1,0
2. LE 4/16/4 U=1,0
3. LE 4/16/4 U=1,0

Hardware

1. TURN L.STULP
2. TURN R.
3. FIX WING

System: Timber

Model: SOLID PINE

Colour: TRANSPARENT

Hardware: MACO

Seal colour: BLACK

Handle: None

Glazing Round/Oval  
Bead:

Safety transport profile:

Spacer bar:

18 mm GEORGIAN BAR RAL /  
Bolection: RAL


Notes: Ecoline 68  
it: placche in alluminio  
fr: capotage Alu  
de: Aluminiumkappe  
en: cladding  
SOLD!  
VERKAUFT!  
VENDU!  
VENDUTO!

View from inside

18. Dimensions [W x H]: 2700 x 2064

Qty

1



Glazing unit

1. LE 4/16/4 U=1,0
2. LE 4/16/4 U=1,0

Hardware

1. FIX FRAME
- 2.

System: ALUPLAST

Model: ID4000 Round Line

Colour: WHITE

Hardware: MACO

Seal colour: GREY

Handle: Standard handle

Glazing Round/Oval

Bead:


Safety transport profile:

Spacer bar:

19. Dimensions [W x H]: 1045 x 800

Qty

1



Glazing unit

1. LE 4/16/4 U=1,0
2. LE 4/16/4 U=1,0

Hardware

1. TURN L.STULP
2. TILT&TURN R.

System: ALUPLAST

Model: ID4000 Round Line

Colour: WHITE

Hardware: MACO

Seal colour: GREY

Handle: Hoppe Secustic White

Glazing Round/Oval

Bead:

Safety transport profile:

Spacer bar:

Mis-handling:

Controlled ventilation:

Notes: SOLD!  
VERKAUFT!  
VENDU!  
VENDUTO!


View from inside



20. Dimensions [W x H]: 500 x 585

Qty

1



Glazing unit

1. CUSTOM GLAZING UNIT

Hardware

1. TILT&TURN L.

System: ALUPLAST

Model: ID8000

Colour: CUSTOM DOUBLE-SIDED

Hardware: MACO

Seal colour: BLACK

Handle: Hoppe Secustic Old Golden

Glazing Classic

Bead:

Safety transport profile:

Spacer bar:

Mis-handling:

Controlled ventilation:

Notes: en: Window Pane: 4/18/4/18/4; colour non standard double side AP52 out, AP71 in  
fr: Vitrages: 4/18/4/18/4; couleur non standard de deux côtés : à l'ext : AP 52, à l'int: AP 72  
de: Verglasung: 4/18/4/18/4; Bikolor: aussen AP 52, innen: AP 71  
it: Vetrocamera: 4/18/4/18/4; colore: bilaterale personalizzato: all'esterno AP 52, all'interno: AP 71

SOLD!

VERKAUFT!

VENDU!

VENDUTO!

21.

Inne


Qty

1

22. Dimensions [W x H]: 3060 x 1150

Qty

1



Glazing unit

1. CUSTOM GLAZING UNIT

2. CUSTOM GLAZING UNIT

Hardware

1.

2.

System: VEKA

Colour: WHITE

Seal colour: GREY

Handle: Standard handle

Safety transport profile:

Spacer bar:

Notes: VEKA Ecosol

en: glass 44.2/12/4

de: Verglasung 44.2/12/4

fr: vitrage 44.2/12/4

it: vetro 44.2/12/4


SOLD FV 1522/09/2018

View from inside

23. Dimensions [W x H]: 890 x 2100

Qty

1



Glazing unit

1. NO GLAZING UNIT

Hardware

1. TURN L.

System: ALUPLAST

Model: ID4000 FRONT DOOR  
RENOVATION 40

Colour: AP61 GREY SAND STRUCTURE  
SINGLE-SIDED

Hardware: MACO

Seal colour: BLACK

Handle: Double side handle

Glazing Round/Oval

Bead:

Inside View:

Aluminium Treshold:

Spacer bar:


Open to the inside:

5-Point Lock:

24. Dimensions [W x H]: 882 x 2130

Qty

1



Glazing unit

1. NO GLAZING UNIT

Hardware

1. TURN L.

System: ALUPLAST

Model: ID4000 FRONT DOOR  
RENOVATION 40

Colour: AP61 GREY SAND STRUCTURE  
SINGLE-SIDED

Hardware: MACO

Seal colour: BLACK

Handle: Double side handle

Glazing Round/Oval

Bead:

Inside View:

Aluminium Treshold:

Spacer bar:

Open to the inside:

5-Point Lock:


Notes: SOLD!  
VERKAUFT!  
VENDU!  
VENDUTO!

View from inside

25. Dimensions [W x H]: 2800 x 2100

Qty

1



Glazing unit

1. LE 4/18/4/18/4 U=0,5
2. LE 4/18/4/18/4 U=0,5

Hardware

- 1.
- 2.

System: SALAMANDER

Safety transport profile:

Seal colour: BLACK

Handle: Double side pull handle

Glazing: Round/Oval

Bead:

Notes: IT: Sistema Salamander, la porta alzante-scorrevole HST; colore insolito, non dalla gamma dei colori standard; due ante attive; maniglia passante; canalina calda distanziale nera  
DE: Salamander, HST; Bikolor; zwei Aktivefluegel; Griffe - beidseitig; Warmekante in GZR schwarz  
FR: Système Salamander, porte levante-coulissante HST; couleur atypique hors de la palette standard; deux vantaux actifs; double poignée; intercalaire warmedge noir  
EN: Salamander lift and slide doors, colour in and out – laminate, two sashes sliding, handle in and out, warm edge spacer

SOLD!  
VERKAUFT!  
VENDU!  
VENDUTO!

View from inside

26. Up and over garage door

Qty

1

---

Notes: DE: Schwingtor  
Connect  
Montage hinter der Oeffnung  
RAL 7035  
nicht Thermischgetrent  
Antrieb – manuel  
Massen: 2480x290

IT: Portone basculante  
Modello Connect  
Fissaggio davanti all'apertura  
Colore RAL 7035  
Motivo di tamponamento: doghe orizzontali ( modelloH)  
Apertura manuale  
2480mm x2090mm  
Chiavistello : in acciaio

FR: Porte de garage basculante  
Connect  
pose en applique  
Coloris RAL 7035  
rainures horizontales  
sans isolation thermique  
commande: manuelle  
2480x2090  
loqueteau standard

ENG: Up and over garage door  
2480x2090  
surface fitted  
Colour RAL7016  
Panels ribbed (H model)  
non insulated  
manual operated  
standard metal fastener

View from inside

27. Sectional garage door

Qty

1

Notes: DE: Sektionaltor  
OniPro SSP  
Muster – Woodgrain  
Farbe – Nuss  
2400x2100  
Antrieb: mido 6000

IT: Portone sezionale  
Modello UniPro  
SSP-molle a torsione fissate davanti all'architrave,  
Struttura: woodgain  
Motivo di tamponamento: senza doghe  
Colore noce  
2400mm x 2100mm  
Apertura automatica: MIDO 6000  
Binario: MIDO 3000  
Architrave: 200  
Spazio laterale W1, W2: 110mm  
Profondita': 3250mm  
Maniglia: KL-2 colore RAL 8014  
Bloccaggio: inilaterale

FR: Porte de garage sectionnelle  
UniPro  
SSP  
Structure Woodgrain  
Sans rainures  
coloris: noix  
2400x2100  
moteur: mido 600  
linteau: 200mm  
écoinçon gauche et droit: 110mm  
profondeur: 3250mm  
rail MIDO 3000  
poignée KL-2 RAL 8014  
verouillage J  
2 télécommandes

ENG: Sectional garage door  
2400x2100  
UniPro  
SSP  
Woodgrain finish  
no ribbed  
colour walnut  
motor drive operated  
overhead room 200mm  
sideroom required W1, W2 – 110  
depth of garage 3250  
rail track MIDO3000  
handle KL-2 RAL8014  
garage door interlocking J

SOLD!  
VERKAUFT!  
VENDU!  
VENDUTO!

View from inside

28. Sectional garage door

Qty

1

Notes: DE: Saktionaltor  
OniPro SSP  
Muster – Glat  
Farbe – Nuss  
3200x3000  
Antrieb: mido 1000

SOLD!  
VERKAUFT!  
VENDU!  
VENDUTO!

IT: Portone sezionale  
Modello UniPro  
SSP-molle a torsione fissate davanti all'architrave,  
Struttura: woodgain  
Motivo di tamponamento: senza doghe  
Colore bianco  
3200mm x 3000mm  
Apertura automatica: MIDO 1000  
Binario: MIDO 4000  
Architrave: 200  
Spazio laterale W1, W2: 110mm  
Profondita': 4250mm  
Freno di sicurezza: SI  
Bloccaggio: inilaterale  
2 comandi

FR: Porte de garage sectionnelle  
UniPro  
SSP  
coloris: blanc  
sans rainures  
structure Woodgrain  
moteur MIDO 1000x2300  
2 télécommandes  
rail Mido 4000  
3200x3000  
linteau 200mm  
écoinçon gauche et droit: 110mm  
profondeur: 4250mm  
Frein de sécurité: OUI  
verrou: 1

EN: Sectional garage door  
3200x3000  
UniPro  
SSP  
colour white  
no ribbed  
woodgrain finish  
motor drive MIDO 1000  
rail track 4000  
overhead room 200mm  
sideroom required W1, W2 – 110  
depth of garage 4250  
safety brake – yes  
garage door interlock – 1  
2 remote controls

View from inside

Notes: DE: Aluminiumtuere  
 ALU: MB60E  
 Struktur: Woodgrain  
 RAL 9016  
 1000x2300  
 DIN R  
 Beidseitig Griff Jupiter

IT: Porta in alluminio  
 Modello: ALU MB60E  
 Tipo della porta: D1P  
 Struttura: woodgrain  
 Colore RAL 9016  
 1000mm x 2300mm  
 Lato della maniglia: sinistra  
 Maniglia passante Jupiter con serratura  
 3 cerniere  
 3 chiavi


FR: Porte d'entrée avec le même remplissage que la porte garage  
 Systeme du profilé ALU: MB60E  
 Type de porte: D1P  
 Type de panneau: G  
 Structure de panneau: Woodgrain  
 coloris: RAL 9016  
 1000x2300  
 type de quincaillerie: double poignée  
 à l'extérieur: poignée Jupiter  
 à l'intérieur: poignée Jupiter  
 avec 3 clés  
 type de paumelles: 3 paumelles standard

EN: Aluminium panel  
 1000x2300  
 aluminium panel doors  
 System: MB60E  
 type of doors D1P  
 type of panel G  
 woodgrain finish  
 colour RAL9016  
 handle in and out  
 handle in: Jupiter  
 Colour: AP05 mahogany singlesided  
 cylinder lock with 3 keys  
 surface hinges

30. Dimensions [W x H]: 2940 x 1175

Qty

1



Glazing unit

1. LE 4/16/4 U=1,0
2. LE 4/16/4 U=1,0
3. LE 4/16/4 U=1,0

Hardware

1. TURN L.
2. FIX FRAME
3. TILT&TURN R.

System: ALUPLAST

Model: ID4000 Round Line

Colour: AP05 MAHOGANY SINGLE-SIDED

Hardware: MACO

Seal colour: BLACK

Handle: Hoppe Secustic White

HigneCovers: White

Glazing Round/Oval

Bead:

Safety transport profile:

Warm Frame Swisspacer:

Mis-handling:


Controlled ventilation:

Air Inlet:

31. Dimensions [W x H]: 1730 x 1175

Qty

1



Glazing unit

1. LE 4/16/4 U=1,0
2. LE 4/16/4 U=1,0

Hardware

1. TURN L.STULP
2. TILT&TURN R.

System: ALUPLAST

Model: ID4000 Round Line

Colour: AP05 MAHOGANY SINGLE-SIDED

Hardware: MACO

Seal colour: BLACK

Handle: Hoppe Secustic White

HigneCovers: White

Glazing Round/Oval

Bead:

Safety transport profile:

Warm Frame Swisspacer:

Mis-handling:

Controlled ventilation:

32. Inne

Qty

1


View from inside



33. Dimensions [W x H]: 1010 x 2020

Qty

1



Glazing unit

1. LE 4/16/4 U=1,0

Hardware

1. TURN L.

System: Timber

Model: SOLID PINE

Colour: TRANSPARENT

Hardware: MACO

Seal colour: GREY

Double side handle with key

Handle: lock

Safety transport profile:

Warm Frame Swisspacer:

Aluminium Treshold:

Notes:

Sprzedane

34. Pull handle

Qty

2

Description: IT:

pour poste 1

a mettre a l'inter

a mettre a l'exter

tirant inox de 500mm

modele: 250 96

fixation a l'ngle de45\*


Notes: SOLD

FV/1554/10/2018

35. Dimensions [W x H]: 1030 x 2045

Qty

1



Glazing unit

1.1. CUSTOM GLAZING UNIT

1.2. COLOUR / COLOUR PVC PANEL

Hardware

1. TURN R.

System: ALUPLAST

Model: ID4000 FRONT DOOR

Colour: CUSTOM DOUBLE-SIDED

Hardware: MACO

Seal colour: BLACK

Handle: None

HigneCovers: Silver

Glazing Softline

Bead:

Inside View:

Warm Frame Swisspacer:

Drop door seal bar:

Open to the inside:

5-Point Lock:

Notes: Porte d'entree

Vitrage 33.2/14/4 + panneau PVC

traverse oblique


6 cles

View from inside

36. Infill panel Qty  
1

37. Infill panel Qty  
1

38. Dimensions [W x H]: 1145 x 2110 Qty  
1



Glazing unit

1. LE 4/16/4 U=1,1
2. LE 4/16/4 U=1,1

Hardware

1. TURN L.STULP
2. TILT&TURN R.

System: SALAMANDER

Model: SALAMANDER 76 Renovation  
60

Colour: WHITE

Hardware: MACO

Seal colour: GREY

Handle: Hoppe Secustic Silver

HigneCovers: Silver

Glazing Round/Oval

Bead:


Safety transport profile:

Spacer bar:

Mis-handling:

Controlled ventilation:

39. Dimensions [W x H]: 638 x 2110 Qty  
1



Glazing unit

1. LE 4/16/4 U=1,1

Hardware

1. TILT&TURN R.

System: SALAMANDER

Model: SALAMANDER 76 Renovation  
60

Colour: WHITE

Hardware: MACO

Seal colour: GREY

Handle: Hoppe Secustic Silver

Glazing Round/Oval

Bead:

Safety transport profile:

Spacer bar:


Mis-handling:

Controlled ventilation:

View from inside

40. Dimensions [W x H]: 1145 x 1205

Qty  
2



Glazing unit

1. LE 4/16/4 U=1,1
2. LE 4/16/4 U=1,1

Hardware

1. TURN L.STULP
2. TILT&TURN R.

System: SALAMANDER

Model: SALAMANDER 76 Renovation  
60

Colour: WHITE

Hardware: MACO

Seal colour: GREY

Handle: Hoppe Secustic Silver

Glazing Round/Oval

Bead:

Safety transport profile:


Spacer bar:

Mis-handling:

Controlled ventilation:

41. Dimensions [W x H]: 1895 x 1205

Qty  
1



Glazing unit

1. LE 4/16/4 U=1,1
2. LE 4/16/4 U=1,1
3. LE 4/16/4 U=1,1

Hardware

1. TILT&TURN L.
2. TURN L.STULP
3. TILT&TURN R.

System: SALAMANDER

Model: SALAMANDER 76 Renovation  
60

Colour: WHITE

Hardware: MACO

Seal colour: GREY

Handle: Hoppe Secustic Silver

Glazing Round/Oval

Bead:

Safety transport profile:


Spacer bar:

Mis-handling:

Controlled ventilation:

42. Dimensions [W x H]: 745 x 1205

Qty  
1



Glazing unit

1. LE 4/16/4 U=1,1

Hardware

1. TILT&TURN R.

System: SALAMANDER

Model: SALAMANDER 76 Renovation  
60

Colour: WHITE

Hardware: MACO

Seal colour: GREY

Handle: Hoppe Secustic Silver

Glazing Round/Oval

Bead:

Safety transport profile:

Spacer bar:

Mis-handling:


Controlled ventilation:

View from inside

43. Dimensions [W x H]: 650 x 1205

Qty

1



Glazing unit

1. LE 4/16/4 U=1,1

Hardware

1. TILT&TURN R.

System: SALAMANDER

Model: SALAMANDER 76 Renovation  
60

Colour: WHITE

Hardware: MACO

Seal colour: GREY

Handle: Hoppe Secustic Silver

Glazing Round/Oval  
Bead:

Safety transport profile:

Spacer bar:

Mis-handling:


Controlled ventilation:

Notes: SOLD  
FV/1554/10/2018

44. Dimensions [W x H]: 1100 x 2270

Qty

4



Glazing unit

1. LE 4/12/4/12/4 U=0,7

2. LE 4/12/4/12/4 U=0,7

Hardware

1. TILT&TURN L.

2. TURN R.STULP

System: SALAMANDER

Model: STREAMLINE 76

Colour: WHITE

Hardware: MACO

Seal colour: GREY

Handle: Hoppe Secustic Silver

Glazing Round/Oval  
Bead:


Safety transport profile:

Spacer bar:

45. Dimensions [W x H]: 865 x 2295

Qty

1



Glazing unit

1.1-1.2. LE 4/16/4 U=1,1

Hardware

1. TILT&TURN R.

System: ALUPLAST

Model: ID4000 Round Line

Colour: WHITE

Hardware: MACO

Seal colour: GREY

Handle: Hoppe Secustic White

HigneCovers: White

Glazing Classic  
Bead:

Safety transport profile:

Spacer bar:

Mis-handling:


Controlled ventilation:

View from inside

46. Dimensions [W x H]: 1070 x 2430

Qty

1



Glazing unit

1. LAMINATED 33.1/14/4 U=1,2
2. LAMINATED 33.1/14/4 U=1,2

Hardware

1. TURN L.STULP
2. TILT&TURN R.

System: SALAMANDER

Model: STREAMLINE 76

Colour: WHITE

Hardware: MACO

Seal colour: GREY

Handle: Hoppe Secustic Silver

HigneCovers: Silver

Glazing Round/Oval

Bead:

Safety transport profile:

Spacer bar:


Mis-handling:

Controlled ventilation:

47. Dimensions [W x H]: 990 x 1530

Qty

1



Glazing unit

1. LE 4/16/4 U=1,1

Hardware

1. TILT&TURN R.

System: ALUPLAST

Model: ID4000 Round Line

Colour: WHITE

Hardware: MACO

Seal colour: GREY

Handle: Hoppe Secustic White

HigneCovers: White

Glazing Round/Oval

Bead:

Safety transport profile:

Spacer bar:

Mis-handling:


Controlled ventilation:

Notes: SOLD 1522/09/2018

48. Dimensions [W x H]: 830 x 2410

Qty

1



Glazing unit

- 1.1-1.2. LE 4/16/4 U=1,0

Hardware

1. TILT&TURN R.

System: ALUPLAST

Model: ID4000 Renovation 40  
Recessed Style

Colour: WHITE

Hardware: MACO

Seal colour: GREY

Handle: Standard handle

HigneCovers: White

Glazing Round/Oval

Bead:

Safety transport profile:


Spacer bar:

View from inside

49. Dimensions [W x H]: 1410 x 1400

Qty

1



Glazing unit

1. LE 4/16/4 U=1,1
2. LE 4/16/4 U=1.1

Hardware

1. TURN L.
2. TILT&TURN R.

System: ALUPLAST

Model: ID4000 Round Line

Colour: WHITE

Hardware: MACO

Seal colour: GREY

Handle: Hoppe Secustic White

HigneCovers: White

Glazing Classic

Bead:

Safety transport profile:

Spacer bar:

Mis-handling:


Controlled ventilation:

Notes: SOLD

50. Dimensions [W x H]: 780 x 1510

Qty

1



Glazing unit

1. OBSCURE 4/16/4 MATT

Hardware

1. TILT&TURN L.

System: ALUPLAST

Model: ID4000 Renovation 40  
Recessed Style

Colour: WHITE

Hardware: MACO

Seal colour: GREY

Handle: Hoppe Secustic White

HigneCovers: White

Glazing Round/Oval

Bead:

Safety transport profile:

Spacer bar:

Mis-handling:


Controlled ventilation:

Reduced Handle:

51. Dimensions [W x H]: 1850 x 1510

Qty

2



Glazing unit

1. LE 4/16/4 U=1,1
2. LE 4/16/4 U=1,1
3. LE 4/16/4 U=1,1

Hardware

1. TILT&TURN L.
2. TURN R.STULP
3. TILT&TURN R.

System: ALUPLAST

Model: ID4000 Renovation 40  
Recessed Style

Colour: WHITE

Hardware: MACO

Seal colour: GREY

Handle: Hoppe Secustic White

HigneCovers: White

Glazing Round/Oval

Bead:

Safety transport profile:

Spacer bar:

Mis-handling:

Controlled ventilation:


Reduced Handle:

View from inside

52. Dimensions [W x H]: 1240 x 1560

Qty

1



Glazing unit

1. LE 4/16/4 U=1,0
2. LE 4/16/4 U=1,0

Hardware

1. TURN L.STULP
2. TILT&TURN R.

System: ALUPLAST

Model: ID4000 Renovation 40  
Recessed Style

Colour: WHITE

Hardware: MACO

Seal colour: GREY

Handle: Hoppe Secustic White

HigneCovers: White

Glazing Round/Oval

Bead:

Safety transport profile:

Spacer bar:

Mis-handling:


Controlled ventilation:

Reduced Handle:

53. Dimensions [W x H]: 1160 x 1400

Qty

3



Glazing unit

1. LE 4/16/4 U=1,0
2. LE 4/16/4 U=1,0

Hardware

1. TURN L.STULP
2. TILT&TURN R.

System: ALUPLAST

Model: ID4000 Round Line

Colour: WHITE

Hardware: MACO

Seal colour: GREY

Handle: Hoppe Secustic White

HigneCovers: White

Glazing Round/Oval

Bead:

Safety transport profile:

Spacer bar:


Mis-handling:

Controlled ventilation:

54. Dimensions [W x H]: 1840 x 2400

Qty

1



Glazing unit

- 1.1-1.2. LE 4/16/4 U=1,1
- 2.1-2.2. LE 4/16/4 U=1,1
- 3.1-3.2. LE 4/16/4 U=1,1

Hardware

1. TILT&TURN L.
2. TURN R.STULP
3. FIX FRAME

System: ALUPLAST

Model: ID4000 Renovation 40  
Recessed Style

Colour: WHITE

Hardware: MACO

Seal colour: GREY

Handle: Hoppe Secustic White

HigneCovers: White

Glazing Round/Oval

Safety transport profile:

Spacer bar:

Mis-handling:

Controlled ventilation:

Aluminium Treshold:

View from inside

|   |              |          |
|---|--------------|----------|
| 55.   | Infill panel | Qty<br>1 |
| Description:  |              |          |
| EN - Door Panel<br>Type DANA<br>728x1739<br>Colour: Golden Oak only outside<br>glass 4/16/4   |              |          |
| DE - Türpaneel<br>DANA<br>728X1739<br>Farbe: Goldene Eiche 1 seitig<br>Glas 4/16/4            |              |          |
| FR - Panneau de porte<br>DANA<br>728X1739<br>Couleur: CHENE DORE 1 FACE<br>Vitrages 4/16/4    |              |          |
| IT - Pannello per porte<br>DANA<br>728X1739<br>Colore: QUERCIA DORATA 1<br>Vetrocamera 4/16/4 |              |          |

|   |              |          |
|---|--------------|----------|
| 56.   | Infill panel | Qty<br>1 |
| Description:  |              |          |
| EN - Door Panel<br>Type TEREZA<br>710X1935<br>Colour: two-sided anthracite    |              |          |
| DE - Türpaneel<br>TEREZA<br>710X1935<br>Farbe: 2-seitig anthrazit             |              |          |
| FR - Panneau de porte<br>TEREZA<br>710X1935<br>Couleur: anthracite deux faces |              |          |
| IT - Pannello per porte<br>TEREZA<br>710X1935<br>Colore: antracite 2 pagine   |              |          |




|   |              |          |
|---|--------------|----------|
| 57.   | Infill panel | Qty<br>1 |
| <hr/>   |              |          |
| Description: EN - Door Panel<br>Type KAMILA I<br>708X1740<br>Colour: two-sided anthracite |              |          |
| DE - Türpaneel<br>Type KAMILA I<br>708X1740<br>Farbe: 2-seitig anthrazit                  |              |          |
| FR - Panneau de porte<br>Type KAMILA I<br>708X1740<br>Couleur: anthracite deux faces      |              |          |
| IT - Pannello per porte<br>Type KAMILA I<br>708X1740<br>Colore: antracite 2 pagine        |              |          |

|  |              |          |
|--|--------------|----------|
| 58.  | Infill panel | Qty<br>1 |
| <hr/>  |              |          |
| Description: EN - Door Panel<br>Type CL/K6<br>705/1850<br>Colour: white/grey |              |          |
| DE - Türpaneel<br>Type CL/K6<br>705/1850<br>Farbe: weiss/grau                |              |          |
| FR - Panneau de porte<br>Type CL/K6<br>705/1850<br>Couleur: blanc/gris       |              |          |
| IT - Pannello per porte<br>Type CL/K6<br>705/1850<br>Colore: bianco/grigio   |              |          |

|   |              |          |
|---|--------------|----------|
| 59.   | Infill panel | Qty<br>1 |
| <hr/> Description: EN - Door Panel<br>662x984<br>Colour: grey<br><br>DE - Türpaneel<br>662x984<br>Farbe: grau<br><br>FR - Panneau de porte<br>662x984<br>Couleur: gris<br><br>IT - Pannello per porte<br>662x9840<br>Colore: grigio |              |          |

|  |      |          |
|--|------|----------|
| 60.  | Inne | Qty<br>1 |
| <hr/> Description: EN - Container for 3 garage gates<br>386x302x245<br><br>IT - Contenitore per 3 cancelli garage 386X302X245<br><br>FR-Conteneur pour 3 portes de garage<br>386X302X245<br><br>DE- Container für 3 Garagentore<br>386x302x245 |      |          |

| 61.   | Dimensions [W x H]: 1765 x 2300                               | Qty<br>1 |              |          |                    |                 |                    |                 |                    |   |                      |   |               |   |                |   |                    |  |                              |  |                    |  |                    |  |       |  |
|---|---|----------|--------------|----------|--------------------|-----------------|--------------------|-----------------|--------------------|---|----------------------|---|---------------|---|----------------|---|--------------------|--|------------------------------|--|--------------------|--|--------------------|--|-------|--|
| <hr/> <div style="display: flex; justify-content: space-between;"> <div style="width: 30%;">  </div> <div style="width: 65%;"> <table border="0"> <thead> <tr> <th style="text-align: left;">Glazing unit</th> <th style="text-align: left;">Hardware</th> </tr> </thead> <tbody> <tr> <td>1. LE 4/16/4 U=1,1</td> <td>1. TURN L.STULP</td> </tr> <tr> <td>2. LE 4/16/4 U=1,1</td> <td>2. TILT&amp;TURN R.</td> </tr> </tbody> </table> <hr/> <table border="0"> <tr> <td>System: SALAMANDER</td> <td>Safety transport profile: <input checked="" type="checkbox"/></td> </tr> <tr> <td>Model: STREAMLINE 76</td> <td>Spacer bar: <input checked="" type="checkbox"/></td> </tr> <tr> <td>Colour: WHITE</td> <td>Mis-handling: <input checked="" type="checkbox"/></td> </tr> <tr> <td>Hardware: MACO</td> <td>Controlled ventilation: <input checked="" type="checkbox"/></td> </tr> <tr> <td>Seal colour: BLACK</td> <td></td> </tr> <tr> <td>Handle: Hoppe Secustic White</td> <td></td> </tr> <tr> <td>HigneCovers: White</td> <td></td> </tr> <tr> <td>Glazing Round/Oval</td> <td></td> </tr> <tr> <td>Bead:</td> <td></td> </tr> </table> </div> </div> |   |          | Glazing unit | Hardware | 1. LE 4/16/4 U=1,1 | 1. TURN L.STULP | 2. LE 4/16/4 U=1,1 | 2. TILT&TURN R. | System: SALAMANDER | Safety transport profile: <input checked="" type="checkbox"/> | Model: STREAMLINE 76 | Spacer bar: <input checked="" type="checkbox"/> | Colour: WHITE | Mis-handling: <input checked="" type="checkbox"/> | Hardware: MACO | Controlled ventilation: <input checked="" type="checkbox"/> | Seal colour: BLACK |  | Handle: Hoppe Secustic White |  | HigneCovers: White |  | Glazing Round/Oval |  | Bead: |  |
| Glazing unit  | Hardware  |          |              |          |                    |                 |                    |                 |                    |   |                      |   |               |   |                |   |                    |  |                              |  |                    |  |                    |  |       |  |
| 1. LE 4/16/4 U=1,1  | 1. TURN L.STULP   |          |              |          |                    |                 |                    |                 |                    |   |                      |   |               |   |                |   |                    |  |                              |  |                    |  |                    |  |       |  |
| 2. LE 4/16/4 U=1,1  | 2. TILT&TURN R.   |          |              |          |                    |                 |                    |                 |                    |   |                      |   |               |   |                |   |                    |  |                              |  |                    |  |                    |  |       |  |
| System: SALAMANDER  | Safety transport profile: <input checked="" type="checkbox"/> |          |              |          |                    |                 |                    |                 |                    |   |                      |   |               |   |                |   |                    |  |                              |  |                    |  |                    |  |       |  |
| Model: STREAMLINE 76  | Spacer bar: <input checked="" type="checkbox"/>               |          |              |          |                    |                 |                    |                 |                    |   |                      |   |               |   |                |   |                    |  |                              |  |                    |  |                    |  |       |  |
| Colour: WHITE   | Mis-handling: <input checked="" type="checkbox"/>             |          |              |          |                    |                 |                    |                 |                    |   |                      |   |               |   |                |   |                    |  |                              |  |                    |  |                    |  |       |  |
| Hardware: MACO  | Controlled ventilation: <input checked="" type="checkbox"/>   |          |              |          |                    |                 |                    |                 |                    |   |                      |   |               |   |                |   |                    |  |                              |  |                    |  |                    |  |       |  |
| Seal colour: BLACK  |   |          |              |          |                    |                 |                    |                 |                    |   |                      |   |               |   |                |   |                    |  |                              |  |                    |  |                    |  |       |  |
| Handle: Hoppe Secustic White  |   |          |              |          |                    |                 |                    |                 |                    |   |                      |   |               |   |                |   |                    |  |                              |  |                    |  |                    |  |       |  |
| HigneCovers: White  |   |          |              |          |                    |                 |                    |                 |                    |   |                      |   |               |   |                |   |                    |  |                              |  |                    |  |                    |  |       |  |
| Glazing Round/Oval  |   |          |              |          |                    |                 |                    |                 |                    |   |                      |   |               |   |                |   |                    |  |                              |  |                    |  |                    |  |       |  |
| Bead:   |   |          |              |          |                    |                 |                    |                 |                    |   |                      |   |               |   |                |   |                    |  |                              |  |                    |  |                    |  |       |  |

View from inside